

**SPECIALTY
COLLECTION**

—by Somerset™—



HICKORY NATURAL Hickory	HICKORY MOONLIGHT Hickory	HICKORY SPICE Hickory	HICKORY NUTMEG Hickory	MAPLE NATURAL Maple	MAPLE GREYSTONE Maple	MAPLE TUMBLEWEED Maple	MOUNTAIN BROWN Red Oak	COUNTRY NIGHT Red Oak	RUSTIC GREY Red Oak

A COLLECTION OF APPALACHIAN SPECIES THAT OFFERS UNIQUE STYLE AND DESIGN OPTIONS



- S SOLID**
3/4" thick, random lengths up to 6-1/2'
WIDTHS: 2-1/4"(maple), 3-1/4", 4", 5"
RANDOM WIDTHS: 2-1/4" – 3-1/4" – 4"
- S SOLIDPLUS® ENGINEERED**
1/2" thick, 3mm thick wear layer, 8-ply,
random lengths up to 6-1/2'
WIDTHS: 3-1/4", 5"
RANDOM WIDTHS: 3-1/4" – 5" – 7"



PRODUCT SPECIFICATION SHEET

04/17

SPECIALTY: SOLID



Product:	Somerset Specialty Collection Solid Hardwood Flooring																																																																												
Species:	Hickory, Hard Maple, or Red Oak (Somerset does not mix species.)																																																																												
Grade:	Proprietary Somerset grade																																																																												
Dimensions:	Thickness: 3/4"* Widths: Hickory: 3-1/4", 4", 5" Maple: 2-1/4", 3-1/4", 4", 5" Random Widths: Oak: 2-1/4" – 3-1/4" – 4" Lengths: Random from 10" up to 6-1/2' <small>*Nominal</small>																																																																												
Construction:	Traditional 3/4" solid construction produced from domestically grown and harvested Appalachian hardwood. Material conforms to Appalachian Hardwood Manufacturers, Inc.'s Verified Sustainable Seal (www.appalachianwood.org). Product is also affiliated with the National Wood Flooring Association.																																																																												
Profile:	Eased Edge, Eased End																																																																												
Finish:	Ultimate™ Urethane Finish—UV Cured Aluminum Oxide, Abrasion Resistant Finish																																																																												
Colors:	<table border="1"> <thead> <tr> <th></th> <th>2 1/4" Width Strip</th> <th>3 1/4" Width Strip</th> <th>4" Width Plank</th> <th>5" Width Plank</th> <th>Species</th> </tr> </thead> <tbody> <tr> <td>Hickory Natural</td> <td></td> <td>PS314HCB</td> <td>PP41HCB</td> <td>PP51HCB</td> <td>Hickory</td> </tr> <tr> <td>Hickory Moonlight</td> <td></td> <td>PS314HMLB</td> <td>PP41HMLB</td> <td>PP51HMLB</td> <td>Hickory</td> </tr> <tr> <td>Hickory Spice</td> <td></td> <td>PS314HSPB</td> <td>PP41HSPB</td> <td>PP51HSPB</td> <td>Hickory</td> </tr> <tr> <td>Hickory Nutmeg</td> <td></td> <td>PS314HNUB</td> <td>PP41HNUB</td> <td>PP51HNUB</td> <td>Hickory</td> </tr> <tr> <td>Maple Natural</td> <td>PS5101B</td> <td>PS51401B</td> <td>PP41MPB</td> <td>PP51MPB</td> <td>Hard Maple</td> </tr> <tr> <td>Maple Greystone</td> <td>PS5121B</td> <td>PS51421B</td> <td>PP41GSMB</td> <td>PP51GSMB</td> <td>Hard Maple</td> </tr> <tr> <td>Maple Tumbleweed</td> <td>PS5110B</td> <td>PS51410B</td> <td>PP41TUMB</td> <td>PP51TUMB</td> <td>Hard Maple</td> </tr> <tr> <td></td> <td colspan="4">2 1/4" – 3 1/4" – 4" Random Width Plank</td> <td>Species</td> </tr> <tr> <td>Mountain Brown</td> <td colspan="4">PPRWMBB</td> <td>Red Oak</td> </tr> <tr> <td>Country Night</td> <td colspan="4">PPRWCNB</td> <td>Red Oak</td> </tr> <tr> <td>Rustic Grey</td> <td colspan="4">PPRWRGB</td> <td>Red Oak</td> </tr> </tbody> </table>						2 1/4" Width Strip	3 1/4" Width Strip	4" Width Plank	5" Width Plank	Species	Hickory Natural		PS314HCB	PP41HCB	PP51HCB	Hickory	Hickory Moonlight		PS314HMLB	PP41HMLB	PP51HMLB	Hickory	Hickory Spice		PS314HSPB	PP41HSPB	PP51HSPB	Hickory	Hickory Nutmeg		PS314HNUB	PP41HNUB	PP51HNUB	Hickory	Maple Natural	PS5101B	PS51401B	PP41MPB	PP51MPB	Hard Maple	Maple Greystone	PS5121B	PS51421B	PP41GSMB	PP51GSMB	Hard Maple	Maple Tumbleweed	PS5110B	PS51410B	PP41TUMB	PP51TUMB	Hard Maple		2 1/4" – 3 1/4" – 4" Random Width Plank				Species	Mountain Brown	PPRWMBB				Red Oak	Country Night	PPRWCNB				Red Oak	Rustic Grey	PPRWRGB				Red Oak
	2 1/4" Width Strip	3 1/4" Width Strip	4" Width Plank	5" Width Plank	Species																																																																								
Hickory Natural		PS314HCB	PP41HCB	PP51HCB	Hickory																																																																								
Hickory Moonlight		PS314HMLB	PP41HMLB	PP51HMLB	Hickory																																																																								
Hickory Spice		PS314HSPB	PP41HSPB	PP51HSPB	Hickory																																																																								
Hickory Nutmeg		PS314HNUB	PP41HNUB	PP51HNUB	Hickory																																																																								
Maple Natural	PS5101B	PS51401B	PP41MPB	PP51MPB	Hard Maple																																																																								
Maple Greystone	PS5121B	PS51421B	PP41GSMB	PP51GSMB	Hard Maple																																																																								
Maple Tumbleweed	PS5110B	PS51410B	PP41TUMB	PP51TUMB	Hard Maple																																																																								
	2 1/4" – 3 1/4" – 4" Random Width Plank				Species																																																																								
Mountain Brown	PPRWMBB				Red Oak																																																																								
Country Night	PPRWCNB				Red Oak																																																																								
Rustic Grey	PPRWRGB				Red Oak																																																																								
Gloss Level:	Hickory, Maple: Semi Gloss Oak: Low Gloss																																																																												
Janka Hardness:	<table border="1"> <thead> <tr> <th>Species</th> <th>Lbs</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>Hickory</td> <td>1820</td> <td>Red Oak</td> <td>1290</td> </tr> <tr> <td>Hard Maple</td> <td>1450</td> <td></td> <td></td> </tr> </tbody> </table>					Species	Lbs			Hickory	1820	Red Oak	1290	Hard Maple	1450																																																														
Species	Lbs																																																																												
Hickory	1820	Red Oak	1290																																																																										
Hard Maple	1450																																																																												
MSDS:	Not required for cured finish, MSDS for Wood Dust available on request																																																																												
Installation:	Nail down or staple, on or above grade. (NWFA Installation Guidelines and Methods, revised: March, 2019.) Installation guidelines are available at www.somersetfloors.com																																																																												
Maintenance:	Somerset Ultimate™ Wood Floor Cleaner (www.somersetfloors.com)																																																																												
Limited Warranty:	50-Year Finish Wear; Lifetime Structural Integrity (www.somersetfloors.com)																																																																												
Molding:	Quarter Round, Stair Nose, Threshold, T-Mold, and Reducer																																																																												

SPECIALTY: SOLIDPLUS® ENGINEERED



Product:	Somerset Specialty Collection Solid PLUS Engineered Hardwood Flooring			
Species:	Hickory, Hard Maple, or Red Oak (Somerset does not mix species.)			
Grade:	Proprietary Somerset grade			
Dimensions:	Thickness: 1/2"*; 3mm* thick solid dry sawn wear layer Widths: 3-1/4", 5" Random Widths: Oak: 3-1/4" – 5" – 7" Lengths: Random from 10" up to 6-1/2' <small>*Nominal</small>			
Construction:	8-ply cross-grain engineered construction; 7-ply birch core.			
Profile:	Eased Edge, Eased End			
Finish:	Ultimate™ Urethane Finish—UV Cured Aluminum Oxide, Abrasion Resistant Finish			
Colors:		3/4" Width	5" Width	Wear Layer Species
	Hickory Natural	EP314SPHCE	EP512SPHCE	Hickory
	Hickory Moonlight	EP314SPHME	EP512SPHME	Hickory
	Hickory Spice	EP314HSPE	EP512HSPE	Hickory
	Hickory Nutmeg	EP314HNUE	EP512HNUE	Hickory
	Maple Natural	EP314SPMPE	EP512SPMPE	Hard Maple
	Maple Greystone	EP314SPMGE	EP512SPMGE	Hard Maple
	Maple Tumbleweed	EP314TUME	EP512TUME	Hard Maple
		3/4" – 5" – 7" Random Width Plank		Wear Layer Species
	Mountain Brown	EPRWMBE		Red Oak
Country Night	EPRWCNE		Red Oak	
Rustic Grey	EPRWRGE		Red Oak	
Gloss Level:	Hickory, Maple: Semi Gloss Oak: Low Gloss			
Janka Hardness:	Species	Lbs		
	Hickory	1820	Red Oak	1290
	Hard Maple	1450		
MSDS:	Not required for cured finish, MSDS for Wood Dust available on request			
Formaldehyde Emissions:	ASTM D6007; BQL (below quantification limit—.008ppm) TSCA Title VI Compliant			
Critical Radiant Flux (CRF):	ASTM E648 (0.33 critical radial flux)			
Installation:	Nail, staple, glue down, or float on, above or below grade (ground level). (NWFA Installation Guidelines and Methods, revised: March, 2019) Installation guidelines are available at www.somersetfloors.com			
Maintenance:	Somerset Ultimate™ Wood Floor Cleaner (www.somersetfloors.com)			
Limited Warranty:	50-Year Finish Wear; Lifetime Structural Integrity (www.somersetfloors.com)			
Molding:	Quarter Round, Stair Nose, Threshold, T-Mold, and Reducer			